

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	. CONFIRMATION NO.
10/849,022	05/20/2004	Hiroyasu Kiba	500.43870X00	7040
	590 02/22/2007 STANGER MALUR &	BRUNDIDGE, P.C.	EXAM	INER
MATTINGLY, STANGER, MALUR & BRUNDIDGE, P.C. 1800 DIAGONAL ROAD SUITE 370 ALEXANDRIA, VA 22314 BRADLEY, MATTHEW A ART UNIT PAPER N			MATTHEW A	
			ART UNIT	PAPER NUMBER
	, ==== .	2187		
				· · · · · · · · · · · · · · · · · · ·
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
2 MON	THS	02/22/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)	
065 4-45 0	10/849,022	KIBA ET AL.	
Office Action Summary	Examiner	Art Unit	
	Matthew Bradley	2187	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet w	vith the correspondence add	ress
A SHORTENED STATUTORY PERIOD FOR REPLY) DAYS,
 WHICHEVER IS LONGER, FROM THE MAILING D/I. Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period v. Failure to reply within the set or extended period for reply will, by statute. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). 	36(a). In no event, however, may a vill apply and will expire SIX (6) MC , cause the application to become a	a reply be timely filed NTHS from the mailing date of this com ABANDONED (35 U.S.C. § 133).	munication.
Status			
1)⊠ Responsive to communication(s) filed on <u>24 N</u>	ovember 2006		
	action is non-final.		
3) Since this application is in condition for allowar		tters prosecution as to the r	marite ie
closed in accordance with the practice under E	*	•	nents is
	m parto quajro, 1000 o.	5. 11, 100 0.0. 210.	
Disposition of Claims	• .		
4) Claim(s) <u>1,3,5,6,8,10 and 11</u> is/are pending in	the application.		
4a) Of the above claim(s) is/are withdraw	vn from consideration.	·	<i>,</i>
5) Claim(s) is/are allowed.			
6) Claim(s) is/are rejected.		•	
7) Claim(s) <u>1,3,5,6,8,10 and 11</u> is/are objected to			
8) Claim(s) are subject to restriction and/or	r election requirement.		
Application Papers			J
9) The specification is objected to by the Examine	r.		
10)⊠ The drawing(s) filed on 20 May 2004 is/are: a)	☐ accepted or b)⊠ obje	ected to by the Examiner.	
Applicant may not request that any objection to the	drawing(s) be held in abeya	ance. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the correct	ion is required if the drawin	g(s) is objected to. See 37 CFF	₹ 1.121(d).
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attache	ed Office Action or form PTC)-152.
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C.	8 119(a)-(d) or (f)	
a) ☐ All b) ☐ Some * c) ☐ None of:	pilotty and or or o.c.o.	3 1 10(4) (4) 51 (1).	
1. Certified copies of the priority documents	s have been received.		
2. Certified copies of the priority documents		Application No.	
3. Copies of the certified copies of the prior	ity documents have bee	n received in this National S	tage
application from the International Bureau	(PCT Rule 17.2(a)).		_
* See the attached detailed Office action for a list	of the certified copies no	t received.	
		•	
Attachment(s)			
1) Notice of References Cited (PTO-892)	4) Interview	Summary (PTO-413)	
2) Dotice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No	(s)/Mail Date	
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) U Notice of 6) Other:	Informal Patent Application	
E = 1 1 1 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2	٠, 🗀 ٥١١٥١٠	 *	

Application/Control Number: 10/849,022

Art Unit: 2187

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 24 November 2006 has been entered.

Claim Status

Claims 1, 3, 5-6, 8, and 10-11 remain pending and are ready for examination.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the flush command recited in claims 1, 3, 6, 8, and 11 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate

Application/Control Number: 10/849,022

Art Unit: 2187

changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The disclosure is objected to because of the following informalities:

- Claims 1, 3, 6, 8, and 11 recite a flush command. The specification lacks antecedent basis for this limitation in the claim in that the specification clearly recites and describes therein a flash command.
- Claims 1, 6, and 11 recite a synchronous point processing unit. The specification lacks antecedent basis for this limitation in the claim in that the specification clearly recites a synchronous point processing section.

Appropriate correction is required.

Claim Objections

Claim 1, 3, 5-6, 8, and 10-11 are objected to, in light of the specification and drawing objections noted supra because of the following informalities:

 Claims 1, 3, 6, 8, and 11 recite a flush command. In order to bring the claims in harmony with the specification, the Examiner suggests changing flush to flash. Application/Control Number: 10/849,022

Art Unit: 2187

 Claims 1, 6, and 11 recite a synchronous point processing unit. In order to bring the claims in harmony with the specification, the Examiner suggests changing unit to section.

Any claim not specifically addressed is objected to at least by virtue of its dependency.

Appropriate correction is required.

Conclusion

This application is in condition for allowance except for the following formal matters as noted *supra*.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew Bradley whose telephone number is (571) 272-8575. The examiner can normally be reached on 6:30-3:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald A. Sparks can be reached on (571) 272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JUJ JUJ

BRP/mb

Brian R Peugh Primary Examiner